

PSN#	EOL Model#	Model Description	Product	End of Service Date	Replacement Model	Replacement Model Description
	GOOGLE-T640-LCC-RED-DC	Google T640 line card chassis redundant config with DC power	T640	07/02/2017		
	FPCBLANK-M160M40e-S	M160/M40e FPC Blank Panel Spare	M160,M40e	07/10/2017		
	VAS-ERM-LTU	Deep MPEG Monitoring Application to run on MS-DPC	MX5,MX10,MX40, MX80,MX104,MX240,MX480,MX960,MX2010,MX2020	07/12/2017		
PSN-2011-07-314	DPCE-R-2XGE-XFP	2x10GE Enhanced DPC for MX, requires optics sold separately	MX960,MX480,MX240	07/31/2017	MX-MPC1-3D-R-B,MIC-3D-2XGE-XFP	MPC with 1xTrio, Port Queue, Advanced Scale Route and L3 VPN, Bundle, (Includes MX-MPC1-3D, S-MPC-3D-PQ-ADV-R), MX Series 2x10G, 1/2 Height MIC (Requires Optics), Neo, requires Junos 10.2
PSN-2011-07-314	DPCE-R-Q-40GE-SFP	40x1G Enhanced Queuing DPC for MX with full L2/L3 features & VLAN-HQoS, requires optics sold separately	MX960,MX480,MX240	07/31/2017	MX-MPC2-3D-Q-R-B,MIC-3D-20GE-SFP	MPC with 2xTrio, VLAN Queue, 256K Q's (Max 128K Egress), Advanced Scale Route and L3 VPN, Bundle, (Includes MX-MPC2-3D-Q, S-MPC-3D-VQ-ADV-R), Neo, MX Series (2 x) 20x1G, 1/2 Height MIC (Requires Optics), Neo, requires Junos 10.1
PSN-2011-07-314	DPCE-R-Q-4XGE-XFP	4x10G Enhanced Queuing DPC for MX with full L2/L3 features & VLAN-HQoS, requires optics sold separately	MX960,MX480,MX240	07/31/2017	MX-MPC2-3D-Q-R-B,MIC-3D-2XGE-XFP	MPC with 2xTrio, VLAN Queue, 256K Q's (Max 128K Egress), Advanced Scale Route and L3 VPN, Bundle, (Includes MX-MPC2-3D-Q, S-MPC-3D-VQ-ADV-R), Neo, MX Series (2x) 2x10G, 1/2 Height MIC (Requires Optics), Neo, requires Junos 10.2
PSN-2011-07-314	DPCE-X-20GE-2XGE	20 Port GE + 2 port 10GE DPC with L2+L2.5 features, Requires Optics Sold Separately	MX960,MX480,MX240	07/31/2017	MX-MPC2-3D,MIC-3D-20GE-SFP,MIC-3D-2XGE-XFP	MPC with 2xTrio, Port Queue, Neo, MX series 20x1G, 1/2 Height MIC (Requires Optics), Neo, MX960 2x10G, 1/2 Height MIC (Requires Optics), Neo, requires Junos 10.2
	BT7A47MA	8-PORT 2.5G MXP SDH (CCAT)	BTI7000	08/01/2017		
PSN-2012-01-478	SA4000FIPS	Secure Access 4000 FIPS Base System		08/01/2017	SA4500FIPS	
PSN-2012-01-478	SA6000-FAN	Field Replaceable Fan for SA 6000		08/01/2017		
PSN-2012-01-478	SA6000-GBIC-COP	GBIC Transceiver - Copper for SA6000		08/01/2017		
PSN-2012-01-478	SA6000-GBIC-FLX	GBIC Transceiver - Fiber LX for SA6000		08/01/2017		
PSN-2012-01-478	SA6000-GBIC-FSX	GBIC Transceiver - Fiber SX for SA6000		08/01/2017		
PSN-2012-01-478	SA6000-HD	Field Upgradeable Secondary Hard Disk for SA 6000		08/01/2017		
PSN-2012-01-478	SA6000-MEM	Field Upgradeable (by authorized VAR only) Additional 2 GB Memory for SA 6000		08/01/2017		

PSN-2012-01-478	SA6000-PS	Field Upgradeable Secondary Power Supply for SA 6000		08/01/2017		
PSN-2012-01-478	SA6000FIPS	Secure Access 6000 FIPS Base System		08/01/2017	SA6500FIPS	
	S-JMFMVO-100M	Mobile Video Optimization license for 100Mbps of video processing capacity (perpetual, network wide)	MobileNext Broadband Gateway	08/30/2017		
	S-JMFMVO-1G	Mobile Video Optimization license for 1,000Mbps of video processing capacity (perpetual, network wide)	MobileNext Broadband Gateway	08/30/2017		
	S-JMFWO-100M	Mobile Web Optimization license for 100Mbps of web processing capacity (perpetual, network wide)	MobileNext Broadband Gateway	08/30/2017		
	S-JMFWO-1G	Mobile Web Optimization license for 1,000Mbps of web processing capacity (perpetual, network wide)	MobileNext Broadband Gateway	08/30/2017		
PSN-2012-02-504	SRX-MP-1SFP	1-Port SFP Mini-PIM for SRX	SRX210,SRX240	08/31/2017	SRX-MP-1SFP-GE	1-port SFP MiniPIM with GE backplane connectivity, for SRX branch platforms
PSN-2012-02-502	SRX210B	SRX services gateway 210 with 2xGE + 6xFE ports, 1xMini-PIM slot, 1xExpressCard slot, and base memory (512MB RAM, 1GB FLASH). External power supply and cord included.		08/31/2017	SRX210BE	SRX services gateway 210 "Enhanced" with faster CPU, 2xGE + 6xFE ports, 1xmini-PIM slot, and base memory (512MB RAM, 1GB FLASH). External power supply and power cord included.
PSN-2012-02-502	SRX210H	SRX services gateway 210 with 2xGE + 6xFE ports, 1xMini-PIM slot, 1xExpressCard slot, and high memory (1GB RAM, 1GB FLASH). External power supply and cord included.		08/31/2017	SRX210HE	SRX services gateway 210 "Enhanced" with faster CPU, 2xGE + 6xFE ports, 1xmini-PIM slot, and 1GB RAM, 1GB FLASH. External Power supply and power cord included
PSN-2012-02-502	SRX210H-POE	SRX services gateway 210 with 2xGE + 6xFE ports, 1xMini-PIM slot, 1xExpressCard slot, and high memory (1GB RAM, 1GB FLASH), w/ 4 Ports POE (50W). External power supply and cord included.		08/31/2017	SRX210HE-POE	SRX services gateway 210 "Enhanced" with faster CPU, 2xGE + 6xFE ports, 1xmini-PIM slot, 1GB RAM, 1GB FLASH, 4 ports of POE (50 W across 4 ports). External power supply and power cord included.
PSN-2012-02-506	PC-1XGE-DWDM-OTN	Type 3 PIC that produces 10GE-LAN-PHY over G.709 with GFEC/EFEC, and is fully tunable within the CBAND at 50Ghz spacing. Min JUNOS requirement is 9.4R1.	T4000,T640,T320, M120	09/01/2017		
	45W7098	S5X IOC Blank Panel - Spare	SRX5000	09/27/2017		
	45W7100	S5X IOC Blank Panel - Spare, FRU	SRX5000	09/27/2017		
	BP1A01DA-UC-E	DWDM C-BAND PRE-AMPLIFIER - UC CONNECTOR (ECI)	BTI7000	09/30/2017	BT7A03AA	
	BP1A03AA-SC	OPTICAL LINE AMPLIFIER-SC	BTI7000	09/30/2017	BT7A03AA	
	IMS-AAA	IMS AAA Server Multicprotocol RADIUS and Diameter AAA - Solaris; (1000 concurrent user)	SBR Carrier	09/30/2017		

	IMS-AAA-ADD-100K	IMS-AAA Server - 100,000 concurrent sessions - license key only	SBR Carrier	09/30/2017		
	IMS-AAA-ADD-10K	IMS-AAA Server - 10,000 concurrent sessions - license key only	SBR Carrier	09/30/2017		
	IMS-AAA-ADD-1M	IMS-AAA Server - 1,000,000 concurrent sessions - license key only	SBR Carrier	09/30/2017		
	IMS-AAA-ADD-250K	IMS-AAA Server - 250,000 concurrent sessions - license key only	SBR Carrier	09/30/2017		
	IMS-AAA-ADD-500K	IMS-AAA Server - 500,000 concurrent sessions - license key only	SBR Carrier	09/30/2017		
	IMS-AAA-ADD-50K	IMS-AAA Server - 50,000 concurrent sessions - license key only	SBR Carrier	09/30/2017		
	IMS-AAA-ADD-UNL	IMS-AAA Server - Unlimited concurrent sessions - license key only	SBR Carrier	09/30/2017		
	IMS-AAA-HSS	IMS AAA Server Optional Module: HSS support - Wx interface - Solaris	SBR Carrier	09/30/2017		
	IMS-AAA-HSS-LAB	IMS AAA Server Optional Module: HSS support - Wx interface - Solaris	SBR Carrier	09/30/2017		
	IMS-AAA-LAB	IMS AAA Server Multicprotocol RADIUS and Diameter AAA - Solaris; (1000 concurrent user)	SBR Carrier	09/30/2017		
	IMS-AAA-LIM	IMS AAA Server Optional Module: Local IMS policy - Solaris	SBR Carrier	09/30/2017		
	IMS-AAA-LIM-LAB	IMS AAA Server Optional Module: Local IMS policy - Solaris	SBR Carrier	09/30/2017		