

PSN#	EOL Model#	Model Description	Product	End of Service	Replacement	Replacement Model Description
	BP3AM2CL-01	SFP, 1G - 4.25G, CWDM LR CH #1 (1611NM)	BTI7000	07/06/2018		
	BP3AM2CL-02	SFP, 1G - 4.25G, CWDM LR CH #2 (1591NM)	BTI7000	07/06/2018		
	BP3AM2CL-03	SFP, 1G - 4.25G, CWDM LR CH #3 (1571NM)	BTI7800	07/06/2018		
	BP3AM2CL-04	SFP, 1G - 4.25G, CWDM LR CH #4 (1551NM)	BTI7000	07/06/2018		
	BP3AM2CL-05	SFP, 1G - 4.25G, CWDM LR CH #5 (1531NM)	BTI7000	07/06/2018		
	BP3AM2CL-06	SFP, 1G - 4.25G, CWDM LR CH #6 (1511NM)	BTI7000	07/06/2018		
	BP3AM2CL-07	SFP, 1G - 4.25G, CWDM LR CH #7 (1491NM)	BTI7000	07/06/2018		
	BP3AM2DL-01	SFP, 1G - 4.25G, DWDM CH #1 (1559.79NM)	BTI7000	07/06/2018		
	BP3AM2DL-02	SFP, 1G - 4.25G, DWDM CH #2 (1558.98NM)	BTI7000	07/06/2018		
	BP3AM2DL-03	SFP, 1G - 4.25G, DWDM CH #3 (1558.17NM)	BTI7000	07/06/2018		
	BP3AM2DL-04	SFP, 1G - 4.25G, DWDM CH #4 (1557.36NM)	BTI7000	07/06/2018		
	BP3AM2DL-05	SFP, 1G - 4.25G, DWDM CH #5 (1556.55NM)	BTI7000	07/06/2018		
	BP3AM2DL-06	SFP, 1G - 4.25G, DWDM CH #6 (1555.75NM)	BTI7000	07/06/2018		
	BT7A41CA	DUAL 4G TRANSPONDER	BTI7000	07/06/2018		
	BT7A49AB	SINGLE 10G TPR	BTI7000	07/07/2018	BT7A49AA-I02	
	BT8A78CH2	7800: 2-slot Chassis, Fully Featured	BTI7800	07/10/2018		
	EX8208-DENSE-BNDL	EX8208 Dense Bundle, EX8208-BASE-AC system + EX8200-2XS-40T (1) + EX8200-40XS (1) line card	EX8200	07/16/2018		
	EX8208-PERF-BNDL	EX8208 Performance Bundle,EX8208-BASE-AC system + EX8200-2XS-40T (1) + EX8200-8XS (1) line card	EX8200	07/16/2018		
	JX-BGP-ADV-LTU	Advanced BGP License for J-Series	J2300,J2320,J2350,J4300,J4320,J4350,J6300,J6350	07/16/2018		
	JX-JFlow-LTU	JFlow License for J-Series - This SKU is only required pre JUNOS 9.5 and that the license restriction has been lifted from 9.5 onwards	J2300,J2320,J2350,J4300,J4320,J4350,J6300,J6350	07/16/2018		

PSN-2013-01-824	J-4350-JB	J4350, Hw Encryption, High-Memory (1GB DRAM, 512 MB Flash), 0 PIM cards, AC PSU, w/JUNOS	J4350	07/31/2018	SRX550-645DP	SRX550 Platform, 2RU Height, 6 GPIM Slots, 2 MPIM Slots, 6 10/100/1000Base-T Ports, 4 GE SFP Ports, dual PS Slots, fans. Ships with 1 645Watt DC Power Supply with POE power, no power cord, rack mount kit
PSN-2013-01-824	J-4350-JB-DC	J4350, 512MB CF, 1GB RAM, Hw-Encryption, 0 PIM cards, DC PSU	J4350	07/31/2018	SRX550-645DP	SRX550 Platform, 2RU Height, 6 GPIM Slots, 2 MPIM Slots, 6 10/100/1000Base-T Ports, 4 GE SFP Ports, dual PS Slots, fans. Ships with 1 645Watt DC Power Supply with POE power, no power cord, rack mount kit
PSN-2013-01-824	J-4350-JB-DC-N-TAA	J4350, 256MB CF, 1GB RAM, Hw-Encryption, 0 PIM cards, DC PSU, NEBS, w/JUNOS - NEBS and TAA Compliant	J4350	07/31/2018	SRX650B-SRE6-645AP-TAA	SRX650, AC Power Supply, TAA Certified
PSN-2013-01-824	J-4350-JB-N-TAA	J4350, 256MB CF, 1GB RAM, Hw Encryption, 0 PIM cards, AC PSU, w/JUNOS - NEBS and TAA Compliant	J4350	07/31/2018	SRX650B-SRE6-645AP-TAA	SRX650, AC Power Supply, TAA Certified
PSN-2013-01-824	J-4350-JB-SC	J4350, Software Encryption, Low Memory, (512MB DRAM, 512 MB Flash) 0 PIM cards, AC PSU, w/JUNOS, Software Crypto	J4350	07/31/2018	SRX550-645AP	SRX550 Platform, 2RU Height, 6 GPIM Slots, 2 MPIM Slots, 6 10/100/1000Base-T Ports, 4 GE SFP Ports, dual PS Slots, fans. Ships with 1 645Watt AC Power Supply with POE power, power cord, rack mount kit
PSN-2013-01-824	J-4350-JB-SC-DC	J4350, Software Encryption, Low Memory, (512MB DRAM, 512 MB Flash) 0 PIM cards, DC PSU, w/JUNOS, Software Crypto	J4350	07/31/2018	SRX550-645DP	SRX550 Platform, 2RU Height, 6 GPIM Slots, 2 MPIM Slots, 6 10/100/1000Base-T Ports, 4 GE SFP Ports, dual PS Slots, fans. Ships with 1 645Watt DC Power Supply with POE power, no power cord, rack mount kit
PSN-2013-01-824	J-6350-JB	J6350, Hw Encryption, High Memory (1GB DRAM, 512 MB Flash), 0 PIM cards, 1 AC PSU, w/JUNOS	J6350	07/31/2018	SRX550-645DP	SRX550 Platform, 2RU Height, 6 GPIM Slots, 2 MPIM Slots, 6 10/100/1000Base-T Ports, 4 GE SFP Ports, dual PS Slots, fans. Ships with 1 645Watt DC Power Supply with POE power, no power cord, rack mount kit
PSN-2013-01-824	J-6350-JB-DC	J6350, 512MB CF, 1GB RAM, Hw Encryption, 0 PIM cards, 1 DC PSU	J6350	07/31/2018	SRX550-645DP	SRX550 Platform, 2RU Height, 6 GPIM Slots, 2 MPIM Slots, 6 10/100/1000Base-T Ports, 4 GE SFP Ports, dual PS Slots, fans. Ships with 1 645Watt DC Power Supply with POE power, no power cord, rack mount kit
PSN-2013-01-824	J-6350-JB-DC-N-TAA	J6350, 512MB CF, 1GB RAM, Hw Encryption, 0 PIM cards, 1 DC PSU, w/JUNOS - NEBS and TAA Compliant	J6350	07/31/2018	SRX650B-SRE6-645AP-TAA	SRX650, AC Power Supply, TAA Certified

PSN-2013-01-824	J-6350-JB-N-TAA	J6350, 512MB CF, 1GB RAM, Hw Encryption, 0 PIM cards, 1 AC PSU, w/JUNOS - NEBS and TAA Compliant	J6350	07/31/2018	SRX650B-SRE6-645AP-TAA	SRX650, AC Power Supply, TAA Certified
PSN-2013-01-824	J2320	J2320	J2320	07/31/2018	SRX240H2,SRX240H-TAA	SRX services gateway 240
PSN-2013-01-824	J2320-JB-SC	J2320, JUNOS, Base Memory (512MB DRAM, 512 MB Flash), 3 PIM Slots, SW Security, AC Power Supply, 19" Rack Mount	J2320	07/31/2018	SRX240H2	SRX services gateway 240 with 16 x GE ports, 4xmini-PIM slots, and high memory (2 GB DRAM, 2 GB FLASH). Integrated power supply with power cord. 19" Rack mount kit incl.
PSN-2013-01-824	J2320-JB-SC-TAA	J2320, JUNOS, Base Memory (512MB DRAM, 512 MB Flash), 3 PIM Slots, SW Security, AC Power Supply, TAA 19" Rack Mount	J2320	07/31/2018	SRX240H-TAA	SRX240, 1GB RAM, AC Power Supply, TAA Certified
PSN-2013-01-824	J2320-JH	J2320, JUNOS, High Memory (1GB DRAM, 512 MB Flash), 3 PIM Slots, HW Encryption, AC Power Supply, 19" Rack Mount	J2320	07/31/2018	SRX240H2	SRX services gateway 240 with 16 x GE ports, 4xmini-PIM slots, and high memory (2 GB DRAM, 2 GB FLASH). Integrated power supply with power cord. 19" Rack mount kit incl.
PSN-2013-01-824	J2320-JH-1G-CF-SC	J2320, HW Security, AC Power Supply	J2320	07/31/2018	SRX240H2	SRX services gateway 240 with 16 x GE ports, 4xmini-PIM slots, and high memory (2 GB DRAM, 2 GB FLASH). Integrated power supply with power cord. 19" Rack mount kit incl.
PSN-2013-01-824	J2350	J2350	J2350	07/31/2018	SRX240H2,SRX240H-TAA,SRX240H2-DC	SRX services gateway 240
PSN-2013-01-824	J2350-JB-SC	J2350, JUNOS, Base Memory (512MB), 5 PIM Slots, SW Security, AC Power Supply, 19" Rack Mount	J2350	07/31/2018	SRX240H2,SRX240H-TAA,SRX240H2-DC	SRX services gateway 240
PSN-2013-01-824	J2350-JB-SC-DC	J2350, JUNOS, Base Memory (512MB DRAM, 512 MB Flash), 5 PIM Slots, SW Encryption, DC Power Supply, 19" Rack Mount	J2350	07/31/2018	SRX240H2-DC	SRX services gateway 240 with 16 x GE ports, 4xmini-PIM slots, and high memory (2 GB RAM, 2 GB FLASH), integrated -48V DC power supply. 19" Rack mount kit included.
PSN-2013-01-824	J2350-JB-SC-DC-N-TAA	J2350, JUNOS, Base Memory (512MB), 5 PIM Slots, SW Crypto, DC Power Supply, Fan Filter, NEBS, TAA, 19" Rack Mount	J2350	07/31/2018	SRX240H-TAA	SRX240, 1GB RAM, AC Power Supply, TAA Certified
PSN-2013-01-824	J2350-JB-SC-TAA	J2350, JUNOS, Base Memory (512MB), 5 PIM Slots, SW Crypto, AC Power Supply, TAA, 19" Rack Mount	J2350	07/31/2018	SRX240H-TAA	SRX240, 1GB RAM, AC Power Supply, TAA Certified
PSN-2013-01-824	J2350-JH	J2350, JUNOS, High Memory (1GB DRAM, 512 MB Flash), 3 PIM Slots, HW Encryption, AC Power Supply, 19" Rack Mount	J2350	07/31/2018	SRX240H2	SRX services gateway 240 with 16 x GE ports, 4xmini-PIM slots, and high memory (2 GB DRAM, 2 GB FLASH). Integrated power supply with power cord. 19" Rack mount kit incl.
PSN-2013-01-824	J2350-JH-DC	J2350, JUNOS, High Memory (1GB), 5 PIM Slots, HW Crypto, DC Power Supply, Fan Filter, 19" Rack Mount	J2350	07/31/2018	SRX240H2-DC	SRX services gateway 240 with 16 x GE ports, 4xmini-PIM slots, and high memory (2 GB RAM, 2 GB FLASH), integrated -48V DC power supply. 19" Rack mount kit included.

PSN-2013-01-824	J2350-JH-DC-N-TAA	J2350, JUNOS, High Memory (1GB), 5 PIM Slots, HW Crypto, DC Power Supply, Fan Filter, NEBS, TAA, 19" Rack Mount	J2350	07/31/2018	SRX240H-TAA	SRX240, 1GB RAM, AC Power Supply, TAA Certified
PSN-2013-01-824	J2350-JH-TAA	J2350, JUNOS, High Memory (1GB), 5 PIM Slots, HW Crypto, AC Power Supply, TAA, 19" Rack Mount	J2350	07/31/2018	SRX240H-TAA	SRX240, 1GB RAM, AC Power Supply, TAA Certified
PSN-2013-01-824	J4350	J4350 (Saipan v2)	J4350	07/31/2018	SRX550-CHAS	SRX550 Platform
PSN-2013-01-824	J6350	J6350 (Saipan (v2)	J6350	07/31/2018	SRX550-CHAS	SRX550 Platform
PSN-2013-01-824	JX-2CT1E1-RJ45-S	2 Port Channelized T1/E1 PIM - Spare	J2320,J2350,J4350,J6350	07/31/2018	SRX-MP-1T1E1,SRX-GP-DUAL-T1-E1	
PSN-2013-01-824	JX-4BRI-S-S	4xISDN BRI - S Interface - Spare	J2320,J2350,J4350,J6350	07/31/2018		
PSN-2013-01-824	JX-4BRI-U-S	4xISDN BRI - U Interface - Spare	J2320,J2350,J4350,J6350	07/31/2018		
PSN-2013-01-824	JXH-HC-S	J4350 Hardware Cryptographic Acceleration Module	J4350	07/31/2018		
PSN-2013-01-824	JXH-HC2-S	J2320, J2350 Hardware Cryptographic Acceleration Module	J2320,J2350	07/31/2018		
PSN-2013-01-824	SSG-320M-J-CONV-S	SSG 320M ScreenOS to J2320 JUNOS-ES Conversion Kit	J2320	07/31/2018		
PSN-2013-01-824	SSG-350M-J-CONV-S	SSG 350M ScreenOS to J2350 JUNOS-ES Conversion Kit	J2350	07/31/2018		
PSN-2013-01-824	SSG-520M-J-CONV-S	SSG 520M to J4350 Conversion Kit	J4350	07/31/2018		
PSN-2013-01-824	SSG-550M-J-CONV-S	SSG 550M to J6350 Conversion Kit	J6350	07/31/2018		
TSB17200	J2320-IDP		J2320	07/31/2018		
TSB17200	J2320-K-AV		J2320	07/31/2018		
TSB17200	J2320-S2-AS		J2320	07/31/2018		
TSB17200	J2320-SMB2-CS		J2320	07/31/2018		
TSB17200	J2320-W-WF		J2320	07/31/2018		
TSB17200	J2350-IDP		J2350	07/31/2018		
TSB17200	J2350-K-AV		J2350	07/31/2018		
TSB17200	J2350-S2-AS		J2350	07/31/2018		
TSB17200	J2350-SMB2-CS		J2350	07/31/2018		
TSB17200	J2350-W-WF		J2350	07/31/2018		
TSB17200	J4350-IDP		J4350	07/31/2018		
TSB17200	J4350-K-AV		J4350	07/31/2018		
TSB17200	J4350-S2-AS		J4350	07/31/2018		
TSB17200	J4350-SMB2-CS		J4350	07/31/2018		
TSB17200	J4350-W-WF		J4350	07/31/2018		
TSB17200	J6350-IDP		J6350	07/31/2018		
TSB17200	J6350-K-AV		J6350	07/31/2018		
TSB17200	J6350-S2-AS		J6350	07/31/2018		
TSB17200	J6350-SMB2-CS		J6350	07/31/2018		
TSB17200	J6350-W-WF		J6350	07/31/2018		
	ERX-JE1220-SFW	JUNOSe version 12.2 software for new E-series systems. Complete JUNOSe documentation is available online at the web.	ERX310,ERX705,ERX710,ERX1410,ERX1440	08/14/2018		

PSN-2013-02-866	BX-BCC-CLK	BX 7000 Advanced clocking Module (TCX version. Supports external Sync, IEEE1588v2 and Synchronous Ethernet)	BX7000	08/31/2018		
PSN-2013-02-866	BX-BCC-OCX	BX 7000 Advanced clocking Module (OCX version. Supports external Sync, IEEE1588v2 and Synchronous Ethernet)	BX7000	08/31/2018		
PSN-2013-02-866	BX7000BASE-AC	BX 7000 Base Unit: 2 open slot chassis, 16 built-in T1/E1 Ports , 3 built-in 10/100/1000 ports (optics sold separately),1 AC power supply, Optional cards sold seperately. AC power cords are sold separately. Qualified SFP Optics Modules: SFP-1GE-SX, SFP-1GE-LX, SFP-1GE-LH- See Interface Accessories section	BX7000	08/31/2018		
PSN-2013-02-866	BX7000BASE-DC	BX 7000 Base Unit: 2 open slot chassis, 16 built-in T1/E1 Ports , 3 built-in 10/100/1000 ports (optics sold separately), passive cooling, 1 DC power supply, Optional cards sold seperately. Qualified SFP Optics Modules: SFP-1GE-SX, SFP-1GE-LX, SFP-1GE-LH- See Interface Accessories section	BX7000	08/31/2018		
PSN-2013-02-866	BX7000BASE-DC-H	Hardened BX 7000 Base Unit: 2 open slot chassis, 16 built-in T1/E1 Ports , 3 built-in 10/100/1000 ports (optics sold separately), passive cooling, 1 DC power supply, Optional cards sold seperately. -40 to +70 degree Centigrade operation. Qualified SFP Optics Modules: SFP-1GE-SX, SFP-1GE-LX, SFP-1GE-LH- See Interface Accessories section	BX7000	08/31/2018		
PSN-2013-02-866	CHAS-BX7000-S	BX 7000 Chassis Spare (With Craft Interface). Power supplies not included	BX7000	08/31/2018		
PSN-2013-02-866	INST-KIT-BX7000-S	Install kit for BX 7000. Includes USB flash Drive, Console cables(USB and RJ-45) and T1 and Ethernet loopback plugs	BX7000	08/31/2018		
PSN-2013-02-866	PWR-BX7000-AC-R	BX 7000 AC Redundant Power Supply Option (ordered with base unit) (Note: AC power cords are sold separately)	BX7000	08/31/2018		
PSN-2013-02-866	PWR-BX7000-AC-S	BX 7000 AC Power Supply Spare (Note: AC power cords are sold separately)	BX7000	08/31/2018		

PSN-2013-02-866	PWR-BX7000-DC-H-R	BX 7000 Hardened Redundant DC Power Supply option (-40 to +70 degree centigrade operation)	BX7000	08/31/2018		
PSN-2013-02-866	PWR-BX7000-DC-H-S	BX 7000 Hardened DC Power Supply Spare (-40 to +70 degree centigrade operation)	BX7000	08/31/2018		
PSN-2013-02-866	PWR-BX7000-DC-R	BX 7000 DC Redundant Power Supply Option (ordered with base unit)	BX7000	08/31/2018		
PSN-2013-02-866	PWR-BX7000-DC-S	BX 7000 DC Power Supply Spare	BX7000	08/31/2018		
PSN-2013-02-866	RKMT-23-BX7000-S	23 inch Rack Mount Kit for BX 7000	BX7000	08/31/2018		
PSN-2013-02-866	WLMT-BX7000-S	Wall mount Kit for BX 7000	BX7000	08/31/2018		
	BT7A49AA	DUAL 10G TPR	BTI7000	09/21/2018	BT7A49AA-I02	
	BT7A49AA-E	DUAL 10G WAVELENGTH MANAGER	BTI7000	09/21/2018	BT7A49AA-I02	
TSB16221	EX-PWR-600-AC	EX 4200 and EX 3200 600W AC Power Supply(power cord needs to be ordered separately)	EX3200,EX4200	09/30/2018	EX-PWR3-930-AC	930W AC Power Supply with PoE+ Capability for EX4200, EX3200 and EX-RPS-PWR-930-AC (Power Cord needs to be ordered separately)
	BP1A36AA-01	1 CH DWDM OADM, BAND 1, CH 1 (1559.79NM)	BTI7000	09/30/2018		
	BP3AM1CJ-01	CWDM 23DB, CH 1 (1611NM) , MULTIRATE	BTI7000	09/30/2018		
	BP3AM1CJ-04	CWDM 23DB, CH 4 (1551NM) , MULTIRATE	BTI7000	09/30/2018		
	BP3AM5MB	BI-DIRECTIONAL SFP, 1310TX/1550RX	BTI7000	09/30/2018		
	BT7B01AA	701 STU-EAD-GIGE - AC (BTI701)	BTI700	09/30/2018		
	BT7B02CA	702 ETHERNET ACCESS DEVICE - SINGLE DC	BTI700	09/30/2018		
	BT7B12AA	712 ETHERNET ACCESS DEVICE - SINGLE AC	BTI700	09/30/2018		
	BT7B12BA	712 ETHERNET ACCESS DEVICE - DUAL AC	BTI700	09/30/2018		