

Mist 設定マニュアル

- Settings -

Alert フレームワークの設定

ジュニパーネットワークス株式会社

2024年10月 Ver 1.2


JUNIPER 
driven by Mist AI

はじめに


- ❖ 本マニュアルは、『Alert フレームワークの設定』について説明します
- ❖ 手順内容は 2024年10月 時点の Mist Cloud にて確認を実施しております
実際の画面と表示が異なる場合は以下のアップデート情報をご確認ください
<https://www.mist.com/documentation/category/product-updates/>
- ❖ 設定内容やパラメータは導入する環境や構成によって異なります
各種設定内容の詳細は下記リンクよりご確認ください
<https://www.mist.com/documentation/>
- ❖ 他にも多数の Mist 日本語マニュアルを「ソリューション&テクニカル情報サイト」に掲載しております
<https://www.juniper.net/jp/ja/local/solution-technical-information/mist.html>
- ❖ **本資料の内容は資料作成時点におけるものであり事前の通告無しに内容を変更する場合があります**
また本資料に記載された構成や機能を提供することを条件として購入することはできません

Alert フレームワークの設定 - Alert の設定

1. [Monitor] から [Alerts] をクリックします



2. [Alerts Configuration] をクリックします



Alert フレームワークの設定 - Alert の設定

3. Alert の対象サイトとメール通知先を設定します

The screenshot shows the 'Alerts: Configuration' page in the Juniper management interface. The page is divided into several sections, each highlighted with a red box and accompanied by a callout explaining its function.

- Applies to Scope:** A callout states: "サイトを一つ以上選択、もしくは Entire Org ですべてのサイトを選択します" (Select one or more sites, or select all sites with Entire Org). The interface shows 'Entire Org' and 'Sites' tabs, with 'Primary Site' selected under 'Sites'.
- Email Recipients Settings:** A callout states: "メール通知を有効にする管理者 (Org/Site) にチェックを入れます (Email Notification の設定が必要です) カンマ区切りでメール通知先を追加で設定できます" (Check the administrators (Org/Site) to enable email notifications (Email Notification settings are required). You can add email recipients with commas). The interface has checkboxes for 'To organization admins' and 'To site admins', both of which are checked.
- Alert Types:** A callout states: "Alert Types は 3 つのカテゴリに分かれます (Infrastructure / Marvis / Security)" (Alert Types are divided into 3 categories (Infrastructure / Marvis / Security)). The interface shows a table with columns for 'Alerts', 'Enable Alert', and 'Send Email Notification'.
- Template Creation:** A callout states: "テンプレートを作成できます (適用できるテンプレートは サイト毎に一つのみ)" (You can create templates (only one applicable template per site)). The interface has a 'Create Template' button.
- Template Copying:** A callout states: "テンプレートを複製できます" (You can duplicate templates). The interface has a copy icon and a 'Create Template' button.

Alerts	Enable Alert	Send Email Notification
Infrastructure	2	2
Marvis	0	0
Security	0	0


Alert フレームワークの設定 - Alert の設定

4. Alert Types から有効にしたい Alert の [Enable Alert] にチェックを入れ、あわせてメール通知する場合は [Send Email Notification] にもチェックを入れます
※Send Email Notification の有効化には Enable Alert の有効化が必要です

Alerts	Enable Alert	Send Email Notification
Infrastructure	<input type="checkbox"/>	<input type="checkbox"/>
ARP Failure	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
DHCP Failure	<input type="checkbox"/>	<input type="checkbox"/>
DNS Failure	<input type="checkbox"/>	<input type="checkbox"/>
Mist Edge Fan Unplugged	<input type="checkbox"/>	<input type="checkbox"/>
Mist Edge cpu usage high	<input type="checkbox"/>	<input type="checkbox"/>
Mist Edge disconnected from cloud	<input type="checkbox"/>	<input type="checkbox"/>
Mist Edge disk usage high	<input type="checkbox"/>	<input type="checkbox"/>

Alert フレームワークの設定 - Alert の設定

5. 必要に応じてペンのアイコンからしきい値の設定を行います



Dialog box titled 'Edit ARP Failure Threshold'. It contains the following fields: 'Alert if there are' with a value of 10, 'failures or' with a value of 10, and 'clients'. Below this is 'failing within' with a value of 10 and 'minutes per server'. A note at the bottom states: 'This is a global setting - it applies to all ARP failure alerts in the entire organization'. There are 'Save' and 'Cancel' buttons at the bottom right.

ARP 障害のしきい値設定

Dialog box titled 'Edit DHCP Failure Threshold'. It contains the following fields: 'Alert if there are' with a value of 20, 'failures or' with a value of 10, and 'clients'. Below this is 'failing within' with a value of 10 and 'minutes per server'. A note at the bottom states: 'This is a global setting - it applies to all DHCP failure alerts in the entire organization'. There are 'Save' and 'Cancel' buttons at the bottom right.

DHCP 障害のしきい値設定

Dialog box titled 'Edit DNS Failure Threshold'. It contains the following fields: 'Alert if there are' with a value of 30, 'failures or' with a value of 20, and 'clients'. Below this is 'failing within' with a value of 10 and 'minutes per server'. A note at the bottom states: 'This is a global setting - it applies to all DNS failure alerts in the entire organization'. There are 'Save' and 'Cancel' buttons at the bottom right.


DNS 障害のしきい値設定

Dialog box titled 'Edit Device Offline Threshold'. It contains the following field: 'Device offline for' with a value of 0 and 'minutes'. A note at the bottom states: 'This is a global setting - it applies to all Device Offline alerts in the entire organization'. There are 'Save' and 'Cancel' buttons at the bottom right.


Device Offline のしきい値設定

Alert フレームワークの設定 - 管理者のメール通知設定

1. [人型のアイコン] から [My Account] を選択します



2. Email Notification の [Enable] のチェックボックスを有効にすると設定項目が表示されます



Alert フレームワークの設定 - 管理者のメール通知設定

3. メール通知を有効にします

Enable Email Notifications

Filter

Enable Org Notifications

< 1-4 of 4 >

Name	Address	Labels	Notification
Head Quarter	日本、〒163-1403 東京都新宿区西新宿 3 丁目 2 0-2	--	<input checked="" type="checkbox"/>
NAGOYA	日本、〒460-0003 愛知県名古屋市中区錦 3 丁目 6-1 5 先	TOWER	<input type="checkbox"/>
SAPPORO	日本、〒060-0042 北海道札幌市中央区大通西 1 丁目	TOWER	<input type="checkbox"/>
TOKYO	日本、〒105-0011 東京都港区芝公園 4 丁目 2-8	TOWER	<input type="checkbox"/>

Close

サイト名やラベルでリストをフィルタできます

Organization 全体のメール通知が必要な場合、有効化します

メール通知を有効にするサイトをリストから選択します

Thank you

JUNIPER
driven by Mist AI 