

## Attivo

## JUNIPER AND ATTIVO NETWORKS ADD INSIDE-THE-NETWORK THREAT DETECTION AS A NEXT LAYER OF DEFENSE

Discover and Dynamically Block Infected Nodes Inside the Network

## Challenge

Protecting networks against malicious attacks requires constant vigilance. Network traffic must be continuously monitored for threat activity. Once potential attacks are identified, the threat must be contained and malicious activity blocked.

### Solution

Integration of the Attivo BOTsink solution with Juniper Networks Security Intelligence (SecIntel) gives SRX Series Services Gateways the ability to block infected nodes from gaining Internet access and exfiltra

## Benefits

Juniper and Attivo's joint solution mitigates the threat posed by bots and advanced persistent threats (APTs) by attracting, engaging, analyzing, and containing attacks on the network before they can do any harm.

Protecting networks against malicious attacks requires constant vigilance. Network traffic must be continuously monitored for threat activity, and once potential attacks are identified, the threat must be contained and malicious activity blocked. Juniper Networks® SRX Series Services Gateways offer a portfolio of scalable security solutions that protect customers from the most serious threats. The SRX Series provides a foundation that allows enterprise and service providers to implement a wide array of services, including unified threat management (UTM), next-generation firewall, and threat intelligence. And the open and scalable Juniper Networks Security Intelligence (SecIntel) framework enables Juniper to seamlessly integrate leading industry security partners, such as Attivo Networks, and offer customers complementary solutions to combat the broadest spectrum of malevolent threats.

## The Challenge

As the scale and sophistication of network threats continues to increase, businesses need greater insight into attackers, threats, and the devices used in attacks. Next-generation security has to be built on automated and actionable intelligence that can be quickly shared to meet the demands of modern and evolving networks. SRX Series Services Gateways offer high-performance network security with advanced integrated threat intelligence, delivered on the industry's most scalable and resilient platform.

# The Juniper Networks-Attivo Networks Joint Security Intelligence Solution

Juniper Networks has teamed with Attivo to add inside-the-network threat detection as a next layer of defense in today's security infrastructure. The Attivo Networks® BOTsink solution adds a new layer of security by accelerating breach discovery and providing an additional line of defense designed to make it difficult for attackers to reach or compromise valuable assets.

The Attivo BOTsink solution seamlessly integrates with Juniper Networks Security Intelligence (SecIntel) framework to provide the SRX Series Services Gateways the needed intelligence to block infected nodes from gaining Internet access and exfiltrating valuable company data. Once the BOTsink platform identifies an infected node, its IP address is sent to the Spotlight Secure Connector, a key component in Juniper Networks Spotlight Secure threat intelligence platform. A premises-hosted




Figure 1: Security intelligence framework

application, Spotlight Secure Connector accepts and distributes threat intelligence information to enforcement points through its API for SRX Series enforcement—quarantining the device, stopping any communication with the Command and Control server (C&C), and preventing any data exfiltration.

There are two methods to bring feeds into the internal database of Juniper's SecIntel platform, where the SRX Series gateway can retrieve and apply the feed information to its firewall policies.

- The first is a list of IP addresses or ranges of addresses, without an associated threat score. These are typically used in blocklist or allowlist applications, where a threat level is inferred from the application. Blocklist entries are assumed to be "Bad," while allowlist entries are assumed to be "Good."
- The second data format, used by Attivo Networks, is an IP address with an associated threat level. This approach mimics the format used by Juniper's own threat feeds. The entries are typically used with SecIntel policies on the firewall. The threat levels allow a more granular application of the rules. Attivo seamlessly integrates with the Spotlight Secure Connector, giving SRX Series gateways the necessary intelligence to prevent infected nodes from gaining Internet access, moving laterally and exfiltrating valuable company data.

Spotlight Secure Connector provides an API that allows Attivo to push data directly into Spotlight Secure Connector. This enables the SRX Series gateway to quarantine the infected device, stop communication with a C&C server, and prevent data exfiltration.

#### Features and Benefits

- Seamless integration of Attivo BOTsink with Juniper SecIntel
- SRX Series devices equipped with the intelligence to block infected nodes from gaining Internet access and exfiltrating valuable company data

## **Solution Components**

- Juniper Networks SRX Series Services Gateways
- Juniper Networks Spotlight Secure Connector
- Juniper Networks SecIntel Security Intelligence
- Attivo BOTsink

# Summary—Inside-the-Network Threat Detection as a Next Layer of Defense

It takes constant vigilance and integrated security solutions to protect and mitigate against malicious attacks. Network traffic must be continuously monitored for threat activity, and once potential attacks are identified, the threat must be contained and malicious activity blocked. With this joint solution, Attivo Networks and Juniper Networks have created a very effective framework that combines Attivo BOTsink, SecIntel intelligence,

and SRX Series gateways to do just that. This powerful combination mitigates the threat posed by bots and advanced persistent threats (APTs) by attracting, engaging, analyzing, and containing attacks on the network before they can do any harm.

### **Next Steps**

To explore ways that your organization could benefit from the Juniper-Attivo joint security solution, please contact your Juniper Networks representative for more information.

## About Attivo

Attivo Networks is the leader in dynamic deception technology, which in real-time detects intrusions inside the network, data center, and cloud before the data is breached. Leveraging high-interaction deception techniques, the Attivo BOTsink solution lures BOTs/APTs to reveal themselves, without generating false positives. Designed for efficiency, there are no dependencies on signatures, database lookup or heavy computation to detect and defend against cyber threats. Attivo solutions capture full forensics and provide the threat intelligence to shut down current and protect against future attacks.

## **About Juniper Networks**

Juniper Networks brings simplicity to networking with products, solutions and services that connect the world. Through engineering innovation, we remove the constraints and complexities of networking in the cloud era to solve the toughest challenges our customers and partners face daily. At Juniper Networks, we believe that the network is a resource for sharing knowledge and human advancement that changes the world. We are committed to imagining groundbreaking ways to deliver automated, scalable and secure networks to move at the speed of business

.

#### Corporate and Sales Headquarters

Juniper Networks, Inc. 1133 Innovation Way Sunnyvale, CA 94089 USA Phone: 888.JUNIPER (888.586.4737)

or +1.408.745.2000 Fax: +1.408.745.2100

www.juniper.net

#### **APAC and EMEA Headquarters**

Juniper Networks International B.V. Boeing Avenue 240 1119 PZ Schiphol-Rijk Amsterdam, The Netherlands Phone: +31.0.207.125.700

Phone: +31.0.207.125.700 Fax: +31.0.207.125.701



**Engineering**Simplicity



Copyright 2020 Juniper Networks, Inc. All rights reserved. Juniper Networks, the Juniper Networks logo, Juniper, Junos, and other trademarks are registered trademarks of Juniper Networks, Inc. and/or its affiliates in the United States and other countries. Other names may be trademarks of their respective owners. Juniper Networks assumes no responsibility for any inaccuracies in this document. Juniper Networks reserves the right to change, modify, transfer, or otherwise revise this publication without notice.

3510562-002-EN Sept 2020 3